			\sim
	Application No.	Applicant(s)	
Notice of Allowability	10/516,827	OKUMURA ET AL.	
	Examiner	Art Unit	
	Nikita Wells	2881	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course	. THIS e initiative
1. X This communication is responsive to "Response to Office a	Action" received 22 June 2006 and E	xaminer's Amendment.	
2. X The allowed claim(s) is/are <u>1-5,8-25,27 and 28</u> .			
3. ⊠ Acknowledgment is made of a claim for foreign priority un a) ⊠ All b) □ Some* c) □ None of the: 1. ⊠ Certified copies of the priority documents have	•		
Certified copies of the priority documents have	e been received in Application No	 •	
Copies of the certified copies of the priority do	cuments have been received in this	national stage application fro	m the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply //ENT of this application.	complying with the requirem	ents
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO-	948) attached	
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	l.84(c)) should be written on the drawii the header according to 37 CFR 1.121(ngs in the front (not the back) d).	of
6: DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note th AL MATERIAL.	e
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendr	nent/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance	9
	9.		
		Nikita Wells Primary Examiner Art Unit: 2881	

DETAILED ACTION

Examiner's amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph W. Price on January 8, 2007.

The Examiner initiated an Interview with the Applicant in order to make all the independent claims possess allowable material so that the application could be placed in a condition for allowance.

Claims 26 and 29 are cancelled.

Allowable Subject Matter

- 2. Claims 1-5, 8-25, and 27-28 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

With respect to the independent claims 1 and 13-15, prior art fails to disclose or make obvious, in combination with other recited features of the claim limitations, an electron optical lens column characterized by a column unit and an electrostatic lens or plurality of electrostatic lenses disposed inside of said column unit and the inner surface of said column unit is given a high-resistance electrical conductivity, and said electrostatic lens or lenses comprise interconnections which are disposed between said inner column sad said outer column.

With respect to the independent claims 25 and 27-28, prior art fails to disclose or make obvious, in combination with other recited features of the claim limitations, a manufacturing method for an electron optical lens column comprising the following steps: (1) a step that coats an electrically conductive material on the inner surface of a column unit, (2) a step that forms one set of electrodes for structuring an electrostatic lens through a removal of a portion of the aforementioned electrically conductive material that has been coated on the inner surface of the column unit.

The dependent claims 2-12 and 16-24 are allowable by virtue of their dependence upon the independent claim 1.

Conclusion

- Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nikita Wells whose telephone number is (571) 272-2484. The examiner can normally be reached on 8:30 AM 5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor. Drew Dunn can be reached on (571) 272-2312. The central fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.
- 6. Information regarding the status of an application may be obtained from the Patent
 Application Information Retrieval (PAIR) system. Status information for published applications

Application/Control Number: 10/516,827 Page 4

Art Unit: 2881

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nikita Wells

Primary Examiner, Art Unit 2881

Mileita Wells

January 8, 2007